

RAILING PRO



MADE IN CHINA, LOVED BY THE WORLD

ACE Architectural Products Co., Ltd

📍 Rm502, Block B Tianhui Building, Longhua District, Shenzhen

📍 Factory Add: Sanlin Industry Zone, Xiaxi Pingzhou, Foshan, Guangdong China

☎ 86-755-21002676


✉ info@acearchi.com

🌐 www.acearchi.com

Railing&Staircase
Pioneer In China

CONTENT

■ Shoe Dase Glass Railing System	5
■ Framed Glass Railing System	11
■ More Railing Design Option	15
■ Spigot Glass Railing System	19
■ Glass Standoff Glass Railing System	23
■ Cable Railing System	25
■ Spiral Staircase	33
■ Curved Staircase	35
■ Straight Staircase	37
■ Mono Beam Staircase	39
■ Floating Staircase	41
■ Railing Glass Infill Options	43
■ Handrail accessory	45
■ Aluminium Railing Design	55
■ Projects Gallery	67



► About company

History: ACE Architectural Products Co., Ltd -railing and staircase pioneer in China, specialized in railing and staircase design and production since 2010.

Employee: More than 65 employees, with powerful designer and engineer team.

Work shop: 7500 square meters workshop, advanced CNC machine work line.

Turnover: 20 million US dollar.

Main products: Customized glass & stainless steel railing, staircase, shower glass, glass door.

Main market: America, Europe, Australia and middle east.

Quality level: High level.

Main material: 316 stainless steel / 304 stainless steel / 6063-T6 aluminium / toughened glass.

Certificate: AS.NZS2208 / EN12150 /ANSIZ97.1-2009 /ASTM c1279 for glass.

Target customers: Developers, Builders, Contractors.


Target projects: High end quality residential houses/complex, shopping centers, resorts, airports, embassies, public projects.

Service: Design, shop drawing, production, shipment, installation instruction.

Housing spirit: Happy customer, happy Housing! Be simple and smart

Housing mission: Making nice railing to bright up the whole building.

► Workshop pictures



► Quality control system

- Use CNC machines for fabrication, the tolerance could be controlled within 0.02mm.
- Making high quality standard accessories by casting, we have invested more than 3 million RMB to open mould for all the accessories.
- Control the quality of raw material, doing material testing for each order in our own testing center by advanced spectrometer.



- Used licenced welder and skilled worker, with at least 10 years work experience.
- Check quality during each process of production.
- Doing necessary try installation to make sure each component would be well fit.
- Strong plywood packing to protect production during transportation.



Shoe Dase Glass Railing System




Mounting Options _____
 Top Mount and Fascia Mount _____



LED Integration

ADA Compliance Surrounds

Glass Drink Rail Accessory



Suite Dividers



Front of Bowl Railing



Stairs, Balconies & Overlooks




■ Specification

Railing height: 36" for stair, 42" for balcony
Glass: 8-23mm tempered clear glass / laminated glass
Aluminum u base: 62*102/67*102/ 70.5*102mm
Top handrail: dia42/48/50mm stainless steel/ solid wood Customized size available




■ Mount Type



Channel Type	Channel Size	Glass Thidmss Range
AUC1901	62*102mm	9mm-13.52mm
AUC1902	67*102mm	13.52mm-15mm
AUC1903	70.5*102mm	15mm-25.52mm


■ Installation Details



Accessories



Panel Grip




Expansion Bolt




Base Cover





Channel End Cap



Cladding Tape





Shoe Railing Stylem



AUC1901

AUC1902








AUC1903

AUC1904



Channel Type	Channel Size	Glass Thidmss Range
AUC1901	45*123mm	10mm-15mm

Installation details



Framed Glass Railing System



ACE-GB002


■ Specification

Posts	Ø38 mm ,Ø42.4 mm ,Ø50.8 mm ,Ø38*38 mm ,Ø50.8*50.8 mm , 60 * 30mm .
	SS Posts @ 1.5 meters . max for Glass in-fill
Height	36 "/42" or Custom
Mount Type	Top, Fascia or Core Mounts
Top Rail	1½" Ø or 2" Ø SS Rail; 2" Ø Wood Rail
Assist Rail	1½" Ø SS Rail; 2" Ø Wood Rail
Wall Rail (on Brackets)	1½" Ø SS Rail; 2" Ø Wood Rail
Stainless Steel	#6 Brushed Satin in SS-304 or SS-316
Wood (unstained)	Red Oak, Cherry & Maple (other species avail on request)
In-Fill	12mm glass panel or 6+1.52+6mm laminated glass panel


MOUNT OPTIONS



Top Mount




Fascia Mount



Core Mount

ACE-GB001






Top Mount

Fascia Mount

Maximum Centres	1200mm	Stainless Steel Post Finishes	Satin or Mirror
Stainless Steel Material Grades	GRADE 304 (Internal use) GRADE 316 (External use)	Glass Options	Clear, Frosted or Tinted
Tube Diatmeters	40mm x 40mm	Base Plates Available	100mm, 105mm cover
Standard Height	1100mm (to top of rail) 1100mm (to top of post without top rail)	Compatible Fixings	Wood, Metal, Brick & Concrete
Post & Glass Measurements	MADE TO MEASURE (prices vary)	Post Construction	Welded base plate, glass clamps & tube support to top.
Glass Thickness	10mm Toughened, 12mm Toughened, 11.5mm Laminated	Post Construction (with NO TOP RAIL)	Welded base plate, cover, glas clamps and end cap for top of posts







Spigot Glass Railing System




ACE-SG001

■ Specification

Tempered glass in alls ranging from a minimum of 3/8" thk to 3/4" thk. Options include monolithic or laminated safety glass. Colored, patterned, frosted glass are additional options based on design intent and need. The possibilities are endless.



ACE-SG002



ACE-SG003

Description

Make a statement with the Spigots Balustrade System, which features strong stainless steel posts fitted to toughened or laminated glass that doesn't sacrifice on style.



Glass standoff



	SIZE(mm)			
Art.No	A	B	C	D
ACE-9527	180	110	48	16



	SIZE(mm)			
Art.No	A	B	C	D
ACE-9528	48*48	180	110	63




	SIZE(mm)			
Art.No	A	B	C	D
ACE-9529	48*48	180	110	63




	SIZE(mm)			
Art.No	A	B	C	D
ACE-9530	220	110	48	16



	SIZE(mm)		
Art.No	A	B	C
ACE-9531	48*48	220	110






	SIZE(mm)			
Art.No	A	B	C	D
ACE-9532	220	110	48	16



Description

Looking beyond never got easier!
A popular design in all public and private applications, this point supported structural glass system is the most seamless railing option.


Glass standoff




Cable Railing System

■ Specification


Mounting cable requires one of our component Kits at each end of a cable run. All ACE components are made from 316L stainless steel for the utmost in strength and durability.




The Level Tension Kit




The Angle Tension Kit




The Wood Post Kit




90 Degree Kit Install



Base Plate



Top Mount




Side Mount

ACE-CR002




MOUNT OPTIONS



Top Mount



Fascia Mount



Core Mount

■ Specification

Maximum Centres	1200mm - 1500mm	Post Finishes	Satin or Mirror
Material Grades	GRADE 304 (internal use) GRADE 316 (external use)	Post Measurements	MADE TO MEASURE (prices vary)
Tube Diameters	42.4mm 48.3mm Or Square Post	Base Plates Available	100mm dia/105mm cover 120mm dia/125mm cover
Standard Height (To top of rail)	1100mm	Compatible Fixings	Wood, Metal, Brick or Concrete
Infill	4-6mm Cable	Post Construction	Welded Base Plate, Cover, Tube Support to Top.
Standard No. of Rows	5(more or less available, prices vary)	Post Construction (With no rail)	Welded Base Plate, Cover, End Cap to Top.



Wire Cutter&Cable Crimper



Cable Fitting




Cable Fitting







MOUNT OPTIONS



Top Mount



Fascia Mount



Core Mount

■ Specification

Maximum Centres	1200mm - 1500mm	Post Finishes	Satin or Mirror
Material Grades	GRADE 304 (internal use) GRADE 316 (external use)	Post Measurements	MADE TO MEASURE (prices vary)
Tube Diameters	42.4mm 48.3mm	Base Plates Available	100mm dia/105mm cover 120mm dia/125mm cover
Standard Height (To top of rail)	1100mm	Compatible Fixings	Wood, Metal, Brick or Concrete
Infill	12mm Tube Or solid rod bar	Post Construction	Welded Base Plate, Cover, Tube Support to Top.
Standard No. of Rows	5(more or less available, prices vary)	Post Construction (With no rail)	Welded Base Plate, Cover, End Cap to Top.



Description

Add the finishing touch to your railing project with Lavi Metal Polish. It cleans, polishes and protects polished metals with its anti-tarnish formula. And for a weld-free installation, use Loctite 326 structural adhesive for a secure, permanent bond between component pieces.


Short Adjustable Saddle

MOUNTING CONDITION	POST HEIGHT/ FINISH	ITEM #	ROD DIAMETER	POSITION/ CONNECTION	POST DIAMETER
	36" Satin	49-B424/36/F/MD/AS	.47"	Ends, Center	1.67"
	42" Satin	49-B424/42/F/MD/AS	.47"	Ends, Center	1.67"
	36" Satin	49-B424/36/W/MD/AS	.47"	Ends, Center	1.67"
	42" Satin	49-B424/42/W/MD/AS	.47"	Ends, Center	1.67"

Short Saddle (non-adjustable)

MOUNTING CONDITION	POST HEIGHT/ FINISH	ITEM #	ROD DIAMETER	POSITION/ CONNECTION	POST DIAMETER
	36" Satin	49-B424/36/F/MD/SF	.47"	Ends, Center	1.67"
	42" Satin	49-B424/42/F/MD/SF	.47"	Ends, Center	1.67"
	36" Satin	49-B424/36/W/MD/SF	.47"	Ends, Center	1.67"
	42" Satin	49-B424/42/W/MD/SF	.47"	Ends, Center	1.67"

All posts also available in polished 316 stainless steel.



Specification


Railing height: 36" for stair, 42" for balcony Solid rod infilled: dia8/10/12mm stainless steel 304/316 Top handrail: dia42/48/50mm stainless steel 304/316 Customized size available between component pieces.

Crossbar Rod

ITEM #	TYPE	MATERIAL	FINISH	OD	WALL THICK	LENGTH
49-R038/20	Solid Rod	316	Satin	0.47"	NA	20'
47-R038/20	Solid Rod	316	Polished	0.47"	NA	20'




Standoff Crossbar Holder

ITEM #	MATERIAL	FINISH	TUBE	MOUNTS ON	H	D	CP	POSITION
47-RH101/424	316	Polished	0.47	1.67"	1.02"	0.85"	0.79"	Center
49-RH101/424	316	Satin	0.47	1.67"	1.02"	0.85"	0.79"	Center
49-RH102R/424	316	Satin	0.47	1.67"	1.02"	0.85"	0.79"	End-Right
49-RH102L/424	316	Satin	0.47	1.67"	1.02"	0.85"	0.79"	End-Left



Crossbar Ball Finial

ITEM #	MATERIAL	FINISH	TUBE	D1	D2
49-RCF101	316	Machined	0.47"	0.79"	0.48"



Spiral Staircase



Curved Staircase



ACE-CS001




ACE-CS002



ACE-CS003




ACE-CS004



ACE-CS005

Straight Staircase




ACE-ST001



ACE-ST002



ACE-ST003



ACE-ST004



ACE-ST005




ACE-ST006


Mono Beam Staircase








Other In-fill Option



Cable




Multiline



Picket



Perf



Wire mesh



Metal Panel

Tempered glass infills range from a minimum of 3/8" PVB or SGP laminated glass. Colored, patterned and frosted glass are additional options based on design intent and need. The possibilities are endless.



Bent



Laminated



Satin



Tinted



Frit




Our Decorative Screen Designs are inspired by many different sources from leaves off a tree to intricate Asian patterns. Each of our Laser Cut Decorative Screens are architecturally made to suit your exact requirements using state of the art software and laser cutting machinery.


Note: Most designs can be made in both portrait and landscape orientation.



Web



Honeycomb



Gatsby




Kaha



Leaf



Bamboo



Marrakesh




Stone




Happiness



Fleuron




Brick Work




Algebra




Ripple




Chainmail



Link



Quiver



Feng Shui



Fauna



Savannah



Merino



Tahiti



Birch




Woodgrain




Herringbone




Model ACE-001




Model ACE-003




Model ACE-002




Model ACE-004




Model ACE-005




Model ACE-007




Model ACE-009




Model ACE-011




Model ACE-006




Model ACE-008




Model ACE-010



Model ACE-012




Model ACE-013




Model ACE-014




Model ACE-015




Model ACE-016




Model ACE-017




Model ACE-018




Model ACE-019



Model ACE-020



Model ACE-021




Model ACE-023




Model ACE-025




Model ACE-027



Model ACE-022




Model ACE-024




Model ACE-026



Model ACE-028




Model ACE-029




Art.No	SIZE(mm)			
	A	B	C	Ø
YK-4010	26	90	86	42.4

Model ACE-030



Art.No	SIZE(mm)			
	A	B	C	Ø
YK-4010	90°	25	42	42

Model ACE-037




Art.No	SIZE(mm)			
	A	B	C	Ø
YK-4010	25	90°-270	25	42.4

Model ACE-038




Art.No	SIZE(mm)	
	A	Ø
YK-4010	70	50.8

Model ACE-031




Art.No	SIZE(mm)			
	D			
YK-4010	42.4			

Model ACE-032




Art.No	SIZE(mm)			
	Ø			
YK-4010	42.4			

Model ACE-039




Art.No	SIZE(mm)			
	A	B	C	Ø
YK-4010	90°	42	84	42.4

Model ACE-040



Art.No	SIZE(mm)			
	A	B	D	Ø
YK-4010	90°	25	42	42.4

Model ACE-033




Art.No	SIZE(mm)			
	A	B	C	Ø
YK-4010	90°	25	42	42.4

Model ACE-034




Art.No	SIZE(mm)			
	Ø			
YK-4010	42.4			

Model ACE-041




Art.No	SIZE(mm)	
	T	Ø
YK-4010	12	42.4

Model ACE-042




Art.No	SIZE(mm)	
	Ø	
YK-4010	42.4	

Model ACE-035




Art.No	SIZE(mm)			
	A	B	D	Ø
YK-4010	90	103	85	42.4

Model ACE-036




Art.No	SIZE(mm)		
	A	B	D
YK-4010	50.8	120	50.8

Model ACE-043




Art.No	SIZE(mm)			
	A	B	D	Ø
YK-4010	8	64	85	50.8

Model ACE-044



Art.No	SIZE(mm)			
	A	B	D	Ø
YK-4010	100	30	42.4	14


Model ACE-045




Model ACE-046




Model ACE-047




Model ACE-048



Model ACE-049



Model ACE-050




Model ACE-051




Model ACE-052




Model ACE-053




Model ACE-055




Model ACE-054



Model ACE-056




Model ACE-057



Model ACE-058




Model ACE-059



Model ACE-060



Model ACE-061




Model ACE-062




Model ACE-063




Model ACE-064



Model ACE-065




Model ACE-066




Model ACE-067




Model ACE-068




Model ACE-069



Model ACE-071




Model ACE-073



Model ACE-074



Model ACE-070




Model ACE-072




Model ACE-074




Model ACE-075



Rm502,Blcok B Tianhui Building,Longhua District,Shenzhen




Model ACE-Alu-01




Serial No.	Description	Dimension	Section
1	Line Post	50*50*2mm	
2	End Post	50*50*2mm	
3	Corner Post	55*55*2mm	
4	Top U Rail	61*20*1.2mm	
5	Handrail	72*25*1mm	
6	Post Clip		
7	Bottom Rail	40*25*1.2mm	
Glass Thickness	8mm	10mm	12mm




Model ACE-Alu-02




Serial No.	Description	Dimension	Section
1	Line Post	50*34.5*2mm	
2	Comer Post	50*34.5*2mm	
3	Top U Rail	85*20*1.5mm	
4	Handrail	96*35*1.5mm	
5	Bottom Rail Clip		
6	Bottom Rail	45*23.7*2mm	
Glass Thickness	8mm	10mm	10.76mm
	11.52mm	12mm	




Model ACE-Alu-03




Serial No.	Description	Dimension	Section
1	Line Post	50*50*4mm	
2	End Post	50*50*4mm	
3	Corner Post	50*50*4mm	
4	Handrail	Ø38*3mm	
5	Post Clip		
6	Die Castings 1		
7	Die Castings 2		
8	Handrail Cap		




Model ACE-Alu-04



Serial No.	Description	Dimension	Section
1	Line Post	50*50*2mm	
2	End Post	50*50*2mm	
3	Comer Post	55*55*2mm	
4	Top U Rail	61*20*1.2mm	
5	Handrail	72*35*1mm	
6	Clip		
7	Bottom Rail/Middle Rail	45*23.7*2mm	
Glass Thickness		8mm	10mm
			12mm




Model ACE-Alu-05



Serial No.	Description	Dimension		Section	
1	Line Post	50*50*2mm			
2	End Post	50*50*2mm			
3	Corner Post	55*55*2mm			
4	Top U Rail	61*20*1.2mm			
5	Handrail	72*35*1mm			
6	Post Clip				
7	Bottom Rail/Middle Rail	40*25*1.2mm			
Thickness Of Aluminum Sheet		2mm	3mm	4mm	5mm




Model ACE-Alu-06




Serial No.	Description	Dimension	Section
1	Line Post	50*50*2mm	
2	End Post	50*50*2mm	
3	Comer Post	50*50*2mm	
4	Pickets	25*25*1mm	
5	Top U Rail	61*20*1.2mm	
6	Middle Rail	40*25*1.2mm	
7	Handrail	72*35*1mm	
8	Bottom Rail	40*25*1.2mm	

Model ACE-Alu-07




Serial No.	Description	Dimension	Section
1	Line Post	50*50*2mm	
2	End Post	50*50*2mm	
3	Corner Post	50*50*2mm	
4	Pickets	50*16*1mm	
5	Handrail	72*35*1mm	
6	Middle Rail	50*16*1.3mm	
7	Top U Rail	61*20*1.2mm	
8	Bottom Rail	50*16*1.3mm	

Model ACE-Alu-08




Serial No.	Description	Dimension	Section
1	Line Post	50*50*2mm	
2	End Post	50*50*2mm	
3	Corner Post	50*50*2mm	
4	Pickets	50*16*1mm	
5	Handrail	72*35*1mm	
6	Bottom Rail	50*16*1.3mm	
7	Top U Rail	61*20*1.2mm	

Model ACE-Alu-09




Serial No.	Description	Dimension	Section
1	Line Post	50*50*2mm	
2	End Post	50*50*2mm	
3	Corner Post	55*55*2mm	
4	Handrail	73*35*1mm	
5	Top U Rail	61*20*1.2mm	
6	Bottom Rail/Middle Rail	40*25*1.3mm	
7	Post Clip		
Glass Thickness	8mm	10mm	12mm

Model ACE-Alu-10




Serial No.	Description	Dimension	Section
1	Line Post	50*50*2mm	
2	End Post	50*50*2mm	
3	Corner Post	55*55*2mm	
4	Bottom Rail	40*25*1.3mm	
5	Handrail	72*35*1mm	
6	Top U Rail	61*20*1.2mm	
7	Post Clip		
Glass Thickenss	8mm	10mm	12mm

Model ACE-Alu-11



Serial No.	Description	Dimension		Section	
1	Line Post	50*50*2mm			
2	End Post	50*50*2mm			
3	Corner Post	55*55*2mm			
4	Middle Rail/Bottom Rail	40*25*1.3mm			
5	Handrail	72*35*1mm			
6	Top U Rail	61*20*1.2mm			
7	Post Clip				
Thickenss Of Aluminum Sheet		2mm	3mm	4mm	5mm

Model ACE-Alu-12



Serial No.	Description	Dimension		Section	
1	Line Post	50*50*2mm			
2	End Post	50*50*2mm			
3	Corner Post	55*55*2mm			
4	Middle Rail	40*25*1.3mm			
5	Handrail	72*35*1mm			
6	Top U Rail	61*20*1.2mm			
7	Post Clip				
Thickenss Of Aluminum Sheet		2mm	3mm	4mm	5mm



The William Vale Hotel, New York, USA

Client: The William Vale Hotel

What we provide for this projects:

We provided 1700 meters Aluminium Frameless Glass railing and 198 sets stainless steel with frosted glass divider.



Panama Metro Line 2 Projects

What we provide for this projects:

We provided all of the 17 stations related stainless steel glass balustrade, the total quantity more than 8,000 liner meters long.

Total Projects Value More Than USD800,000.





Block C apartment In San Marcos, CA 9207



One Ocean Resort In Bahamas

What we provide for this projects:
We provided all the
U-based Frameless Glass
railing and glass wall.



Hard Rock Hotel Projects in Louisiana

We provide all of the glass railings, Grand Staircase , glass divider, showers, Marble Tiles Etc



5 Star Hotel

Client: S.I.H. - Société d'investissement Hôtelière - Staoueli, Algeria
Management: SOFITEL - Accor Hotels



Memo